

Ontario Influenza Bulletin

2006-2007 Season

SURVEILLANCE WEEK 15 (April 8-14) 2007

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from April 8 - 14, 2007, (Week 15). The analysis for this issue occurred on Thursday April 19, 2007, therefore all data is current to that date unless otherwise specified.

Overall, influenza activity in Ontario during Week 15, 2007 was lower compared to the previous week. Eight sporadically occurring cases of influenza A were reported through iPHIS from health units, while no new institutional influenza outbreaks were reported. Toronto, Central East, Eastern, and North East regions reported 'sporadic' influenza activity levels. North West, South West and Central West were the only regions to report 'no activity'.

Please note that the GIS map for influenza activity levels by health unit has been replaced for this week by a table (Table 5, page 8). We apologize for the inconvenience.

For a definition of influenza-like illness (ILI) activity levels and links to websites providing current influenza information from other sources, please refer to the attached Appendix- I. If you would like to provide feedback on the Bulletin, please contact Christine D'Souza (christine.dsouza@moh.gov.on.ca, 416-212-5323) or Anne-Luise Winter (anne-luise.winter@moh.gov.on.ca, 416-327-7301).

Table 1: Summary of confirmed influenza cases and institutional influenza outbreaks by health region (Week 15, 2007).

Confirmed Influenza cases*	HEALTH REGION							TOTAL
	North West	North East	Eastern	Central East	Toronto	South West	Central West	
Influenza A	0	0	0	2	3	0	2	7
Influenza B	0	0	0	1	0	0	0	1
Influenza A & B	0	0	0	0	0	0	0	0
Total new cases	0	0	0	3	3	0	2	8
Institutional influenza outbreaks‡	0	0	0	0	0	0	0	0

SOURCE: MOHLTC (iPHIS, Health Unit Reports to PHD)

* Includes reports of sporadically occurring influenza through iPHIS, as well as cases in institutional outbreaks, with dates of onset in the surveillance period.

‡ Confirmed outbreaks in institutions with onset date of symptoms during the surveillance period.

Table 2: Confirmed cases of influenza by health unit & health region, with an episode date[†] during Week 15, 2007.

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	0	0	0
	Thunder Bay District	0	0	0
	TOTAL NORTH WEST	0	0	0
North East	Algoma	0	0	0
	North Bay Parry Sound District	0	0	0
	Porcupine	0	0	0
	Sudbury & District	0	0	0
	Timiskaming	0	0	0
	TOTAL NORTH EAST	0	0	0
Eastern	City of Ottawa	0	0	0
	Eastern Ontario	0	0	0
	Hastings & Prince Edward Counties	0	0	0
	Kingston, Frontenac, Lennox & Addington	0	0	0
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	0	0	0
Central East	Durham Region	0	0	0
	Haliburton, Kawartha, Pine Ridge	0	1	1
	Peel Region	2	0	2
	Peterborough County-City	0	0	0
	Simcoe Muskoka District	0	0	0
	York Region	0	0	0
	TOTAL CENTRAL EAST	2	1	3
Toronto	Toronto	3	0	3
	TOTAL TORONTO	3	0	3
South West	Chatham-Kent	0	0	0
	Elgin-St. Thomas	0	0	0
	Grey Bruce	0	0	0
	Huron County	0	0	0
	Lambton County	0	0	0
	Middlesex-London	0	0	0
	Oxford County	0	0	0
	Perth District	0	0	0
	Windsor-Essex County	0	0	0
	TOTAL SOUTHWEST	0	0	0
Central West	Brant County	0	0	0
	City Of Hamilton	0	0	0
	Haldimand-Norfolk	0	0	0
	Halton Region	1	0	1
	Niagara Region	0	0	0
	Waterloo Region	1	0	1
	Wellington-Dufferin-Guelph	0	0	0
	TOTAL CENTRAL WEST	2	0	2
	TOTAL ONTARIO	7	1	8

SOURCE: MOHLTC (iPHIS, Health Unit Reports have been extracted using CRN at PHD)

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Table 3: Cumulative* confirmed cases of influenza by health unit & health region with an episode date† between September 1, 2006 – April 14, 2007

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	49	0	49
	Thunder Bay District	16	0	16
	TOTAL NORTH WEST	65	0	65
North East	Algoma	21	0	21
	North Bay Parry Sound District	75	0	75
	Porcupine	47	0	47
	Sudbury & District	34	1	35
	Timiskaming	9	0	9
	TOTAL NORTH EAST	186	1	187
Eastern	City Of Ottawa	149	2	151
	Eastern Ontario	19	2	21
	Hastings & Prince Edward Counties	28	0	28
	Kingston, Frontenac, Lennox & Addington	98	1	99
	Leeds, Grenville And Lanark District	27	0	27
	Renfrew County And District	9	0	9
	TOTAL EASTERN	330	5	335
Central East	Durham Region	69	0	69
	Haliburton, Kawartha, Pine Ridge	135	2	137
	Peel Region	184	2	186
	Peterborough County-City	97	0	97
	Simcoe Muskoka District	117	0	117
	York Region	100	2	102
	TOTAL CENTRAL EAST	702	6	708
Toronto	Toronto	510	5	515
	TOTAL TORONTO	510	5	515
South West	Chatham-Kent	10	0	10
	Elgin-St. Thomas	10	0	10
	Grey Bruce	44	1	45
	Huron County	31	0	31
	Lambton County	11	0	11
	Middlesex-London	48	0	48
	Oxford County	18	0	18
	Perth District	40	0	40
	Windsor-Essex County	32	1	33
	TOTAL SOUTHWEST	244	2	246
Central West	Brant County	20	0	20
	City Of Hamilton	251	2	253
	Haldimand-Norfolk	21	0	21
	Halton Region	107	1	108
	Niagara Region	81	0	81
	Waterloo Region	120	0	120
	Wellington-Dufferin-Guelph	85	0	85
	TOTAL CENTRAL WEST	685	3	688
TOTAL ONTARIO		2,722	22	2,744

SOURCE: MOHLTC (iPHIS, Health Unit Reports have been extracted using CRN at PHD)

* Cumulative case counts include late reports and records that are otherwise reconciled. Therefore, cumulative counts may not equal new cases plus previous cumulative value.

† Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Influenza Subtype(s):

During Week 15, 2260 isolates were received by the Public Health Agency of Canada, with a total of 88 testing positive for influenza A and 103 for influenza B. The majority of influenza A isolates (25) were from Ontario (28.4%), while 23 (26.1%) were from Quebec, and 10 (11.4%) from Alberta. Ninety-seven influenza B isolates were from Quebec (94.2%), while 2 (1.9%) each were from Ontario and British Columbia.*

Antigenic Characterization:

The National Microbiology Laboratory (NML) has characterized 837 influenza viruses for the 2006-2007 influenza season: 241 (29%) A/New Caledonia/20/1999(H1N1)-like, 540 (65%) A/Wisconsin/67/05(H3N2)-like, 11 (1%) B/Malaysia/2506/2004-like, and 45 (5%) B/Shanghai/361/2002-like. All but the B/Shanghai/361/2002-like strain are included in the composition of the 2006-2007 Canadian influenza vaccine. Of the influenza A viruses characterized, 79% of the A(H1N1) viruses were from the West while the majority of the A(H3N2) viruses were from Ontario (56%) and British Columbia (26%).**

Antiviral Resistance:


Since the start of the season, the NML has tested 848 influenza A isolates (224 H1N1, 624 H3N2) for amantadine resistance. One (0.4% or 1/224) of the H1N1 isolates tested were resistant to amantadine. Of the 840 isolates (785 influenza A, 55 influenza B) tested for oseltamivir resistance, none were found to be resistant.**

Note: Based on the World Health Organization recommendations, Canada's National Advisory Committee on Immunization (NACI) recommended the **2006-2007** influenza vaccine contain an **A/New Caledonia-like**, an **A/Wisconsin-like** & a **B/Malaysia-like** virus strain.

* These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada for Week 15, 2007.

** These data have been obtained from the FluWatch report of the Public Health Agency of Canada for week 14, 2007.

Figure 1: Total number of influenza tests performed and percent of positive tests in Ontario reported to the Centre for Infectious Disease Prevention and Control (CIDPC), by report week .



Source: Public Health Agency of Canada

* Total numbers reported include late reports; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Table 4a: Institutional respiratory infection outbreaks in Ontario: New Outbreaks* in Week 15 and Total Outbreaks for the Season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A	0	0.0
Influenza B	0	0.0
Influenza A and B	0	0.0
Parainfluenza (All types)	0	0.0
RSV	0	0.0
Other organisms	0	0.0
No organism identified	9	100.0
TOTAL	9	100
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A	164	26.5
Influenza B	1	0.2
Influenza A and B	1	0.2
Parainfluenza (All types)	25	4.0
RSV	79	12.8
Other organisms	30	4.9
No organism identified	319	51.5
TOTAL	619	100
Types of Institutions (All Outbreaks) **	N	% (of outbreaks)
Long-Term Care Homes	424	68.5
Hospitals	41	6.6
Retirement Homes	63	10.2
Other	2	0.3
Unknown	89	14.4
TOTAL	619	100

SOURCE: MOHLTC (iPHIS, Health Unit Reports have been extracted using CRN at PHD)

* New outbreaks are those in which the date of onset of illness in the first case occurred and recorded through iPHIS in the current surveillance period; i.e. April 8-14, 2007

** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2006 - April 14, 2007

Table 4b: Outbreak Related Complications in institutional respiratory infection outbreaks in Ontario during the Surveillance Season*

Outbreak Related Complications (All Outbreaks)	N	% (of total cases)
Total Cases		
Residents	7210	69.4
Patients	725	7.0
Staff	2449	23.6
Total Cases	10384	100
Deaths		% (of cases per role)
Residents	171	2.4
Patients	14	1.9
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	276	3.8
Patients	18	2.5
Staff	11	0.5
Hospitalizations		% (of cases per role)
Residents	314	4.4
Staff	1	0.0
Outbreak Related Complications (Influenza Outbreaks)	N	% (of total cases)
Total Cases		
Residents	1847	70.8
Patients	173	6.6
Staff	590	22.6
Total Cases	2610	100
Deaths		% (of cases per role)
Residents	55	3.0
Patients	4	2.3
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	111	6.0
Patients	13	7.5
Staff	5	0.9
Hospitalizations		% (of cases per role)
Residents	120	6.5
Staff	0	0.0

SOURCE: MOHLTC [PHIS, Health Unit Reports have been extracted using CRN at PHD]

* Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2006 – April 14, 2007

Figure 2: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total Outbreaks from September 1, 2006 – April 14, 2007 by causative organism





Table 5: Influenza Activity* levels in Ontario by health unit & health region for Week 15

Region	Health Unit	Influenza Activity* Level				
		No Report Received	No Activity	Sporadic	Localized	Widespread
North West	Northwestern		X			
	Thunder Bay District		X			
North East	Algoma		X			
	North Bay Parry Sound District			X		
	Porcupine	X				
	Sudbury & District			X		
	Timiskaming			X		
Eastern	Eastern Ontario		X			
	Hastings & Prince Edward Counties		X			
	Kingston, Frontenac, Lennox & Addington	X				
	Leeds, Grenville & Lanark			X		
	Ottawa	X				
	Renfrew			X		
Central East	Durham Region			X		
	Haliburton, Kawartha, Pine Ridge District		X			
	Peterborough County-City		X			
	Simcoe Muskoka District			X		
	York Region	X				
	Peel Region	X				
Toronto	Toronto			X		
South West	Grey-Bruce		X			
	Elgin-St. Thomas		X			
	Huron County		X			
	Chatham-Kent		X			
	Lambton		X			
	Middlesex-London		X			
	Oxford	X				
	Perth District		X			
	Windsor-Essex County		X			
Central West	Brant		X			
	Haldimand-Norfolk		X			
	Hamilton		X			
	Niagara Region		X			
	Halton Region	X				
	Waterloo Region		X			
	Wellington-Dufferin-Guelph		X			
	TOTAL ONTARIO—36 Health Units	7	21	8	0	0

SOURCE: MOHLTC [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to the MOHLTC by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional outbreaks. Please refer to detailed definitions for the 2006-2007 season included in the Appendix-1]

Figure 3: Average influenza-like illness (ILI) consultation rate (per 1,000 patient visits) reported by sentinel physicians* in Ontario in 2006- 2007 season, by report week, Compared to Ontario average† (1999/2000 to 2004/05 seasons).



Source: Public Health Agency of Canada

* Sentinel physician information is reported to Public Health Agency of Canada

† No data available for mean rate in previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI is reported once every two weeks, on even weeks only.

Table 6: Average Influenza-like illness consultation rate (per 1,000 patient visits) by age group and postal code as reported by Sentinel Physicians* in Ontario, for Week 15.


Postal Code	0 - 4	5 - 19	20 - 64	65 +	Unknown
K0C1A0	0	0	1	0	0
K1L8H2	1	0	1	0	0
K2L3C8	0	0	0	0	0
K1J9M2	0	0	0	0	0
K7H2W6	0	0	0	0	0
K7L1E9	0	0	0	0	0
K0L1C0	0	0	0	0	0
L1A3W4	0	0	0	0	0
K0L1H0	3	0	0	0	0
K0M1A0	0	0	0	0	0
L1B1H8	0	0	0	0	0
L4L4Y7	0	0	0	0	0
L4J7Y3	0	0	0	0	0
L4G3W3	0	0	1	0	0
L4G7Y3	1	0	0	0	0
M5M1B2	0	0	0	0	0
M4X1W4	0	0	0	0	0
M4E1V8	0	0	0	0	0
M8Y1W3	0	0	0	0	0
M2N6H7	0	0	0	0	0
M2J2Z1	0	0	0	0	0
M3H1T1	0	0	0	0	0
M9W4L6	1	2	3	0	0
M8V2Z5	0	0	0	0	0
L5J2W4	0	0	0	0	0
L4Y2N8	0	0	1	1	0
L6W2A4	0	0	0	0	0
L6V4H6	0	0	0	0	0
L9W1G2	0	0	0	0	0
N1H4G2	0	0	0	0	0
L6L1X8	0	0	0	0	0
L6L1X8	0	0	0	0	0
L7R1M6	0	0	0	0	0
L9H1V1	0	0	0	0	0
L9H2G2	0	0	0	0	0
L0R1H0	0	0	0	0	0
L2E1Y3	0	0	1	0	0
L0R1B0	0	0	1	0	0
N3C2E2	0	0	0	0	0
N4W1P9	0	0	0	0	0
N5H1K9	0	0	0	0	0
N0R1G0	0	0	0	0	0
N8X2G3	1	0	3	2	0
N0M1T0	0	0	0	0	0
N0L1Z0	0	1	4	2	0
N6C2R5	0	0	0	0	0
N0M1L0	1	0	0	0	0
N0G1L0	0	1	1	0	0
N0C1E0	0	0	0	0	0
L4R4P4	0	0	0	0	0
P0A1C0	0	0	0	0	0
P0M2L0	0	0	0	0	0
P4N1C6	0	0	0	0	0
P7E1H5	0	0	0	0	0
P0T2E0	0	0	0	0	0
P0W1E0	0	0	0	0	0
P8N2Z6	0	0	0	0	0
ILI Sum	8	4	17	5	0
ILI Consultation Rate (per 1,000 patient visits)	70.18	24.54	15.80	12.69	0.00

Source: Public Health Agency of Canada

* Sentinel physician information is reported to the Public Health Agency of Canada

Note: The small numbers of sentinel physicians reporting at the local level make the ILI rates unstable. Please interpret these data correspondingly.

Figure 4: Geographic Distribution of Sentinel Physicians in Ontario



Source: National Research System (NaReS), College of Family Physicians of Canada

* Sentinel physician information is reported to the Public Health Agency of Canada

FURTHER INFORMATION

1. Ontario Ministry of Health and Long-Term Care
Previous issues of the *Ontario Influenza Bulletin* can be accessed at:
http://www.health.gov.on.ca/english/providers/program/pubhealth/flu/flu_05/flu05bul_mn.html
2. Public Health Agency of Canada
Issues of FluWatch can be accessed at:
www.phac-aspc.gc.ca/fluwatch/
3. United States Centers for Disease Control and Prevention
www.cdc.gov/flu/

INFORMATION ABOUT AVIAN INFLUENZA

For latest information on the status of avian influenza worldwide please use the following link:

Public Health Agency of Canada
<http://www.phac-aspc.gc.ca/h5n1/index.html>

APPENDIX - I

Definitions for influenza activity levels:

No Data: No activity report corresponding to the surveillance week was received at the Ministry of Health and Long-Term Care Call Centre by the Tuesday (at 4 p.m.) following the end of the surveillance period.

No Activity: **No laboratory confirmed* influenza case(s) or outbreak detected during the past four weeks** within the influenza surveillance region, however, sporadically occurring ILI may be reported†

Sporadic: Sporadically occurring ILI and laboratory confirmed influenza* case(s) with **NO outbreaks** detected within the influenza surveillance region†

Localized: sporadically occurring ILI and laboratory confirmed influenza* case(s) together with **outbreaks of ILI** in schools and/or worksites or laboratory confirmed influenza in residential institutions occurring in **less than 50% of the influenza surveillance region(s)†**

Widespread: sporadically occurring ILI and laboratory confirmed influenza* case(s) together with **outbreaks of ILI** in schools and/or worksites or laboratory confirmed influenza in residential institutions occurring in **greater than or equal to 50% of the influenza surveillance region(s)†**

* Confirmation of influenza within the surveillance region at any time within the prior week

† Sub-regions within the province or territory as defined by the provincial/territorial epidemiologist

Influenza-Like Illness (ILI) Definitions:

A) ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which could be due to influenza virus. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

B) ILI/Influenza outbreaks:

Schools and work sites: greater than 10% absenteeism on any day, most likely due to ILI.

Residential institutions: two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case.

Influenza Surveillance Weeks 2006-2007 and date of submission of Appendix C

WEEKS	START	END	Appendix C Submission to MOHLTC
16	15-Apr-07	21-Apr-07	24-Apr-07
17	22-Apr-07	28-Apr-07	1-May-07
18	29-Apr-07	5-May-07	8-May-07
19	6-May-07	12-May-07	15-May-07
20	13-May-07	19-May-07	22-May-07
21	20-May-07	26-May-07	29-Jun-07
22	27-May-07	2-Jun-07	5-Jun-07
23	3-Jun-07	9-Jun-07	12-Jun-07
24	10-Jun-07	16-Jun-07	19-Jun-07
25	17-Jun-07	23-Jun-07	26-Jun-07
26	24-Jun-07	30-Jun-07	3-Jul-07
27	1-Jul-07	7-Jul-07	10-Jul-07
28	8-Jul-07	14-Jul-07	17-Jul-07
29	15-Jul-07	21-Jul-07	24-Jul-07
30	22-Jul-07	28-Jul-07	31-Aug-07
31	29-Jul-07	4-Aug-07	7-Aug-07
32	5-Aug-07	11-Aug-07	14-Aug-07
33	12-Aug-07	18-Aug-07	21-Aug-07
34	19-Aug-07	25-Aug-07	28-Sep-07
35	26-Aug-07	1-Sep-07	4-Sep-07

